



Supported media list

- DVD-R on DVR-112
- DVD-RW on DVR-112
- DVD+R on DVR-112
- DVD+RW on DVR-112
- DVD-RAM on DVR-112
- CD-R on DVR-112
- CD-RW on DVR-112



Supported media list of DVD-R on DVR-112

DVD-R Ver2.0 (1x format disc)

On all discs, 1x writing is possible

DVD-R Ver2.0 Rev1.0 (4x format disc)

On all discs, 2x, 4x writing is possible

DVD-R Ver2.0 Rev2.0 (8x format disc)

Writing speed : 4x, 6x, 8x, 12x

In case of unknown MID, the writing speed is limited to 4x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status								Remarks
			1x	2x	4x	6x	8x	12x	16x	18x	
1	SONY	"SONY08D1"	-	-	Y	Y	Y	Y	-	-	
2	That's	"TYG02"	-	-	Y	Y	Y	Y	-	-	
3	FUJIFILM	"FUJIFILM03"	-	-	Y	Y	Y	-	-	-	
4	TDK	"TTG02"	-	-	Y	Y	Y	-	-	-	
5	Maxell	"MXL RG03"	-	-	Y	Y	Y	Y	-	-	
6	MKM	"MCC 02RG20"	-	-	Y	Y	Y	-	-	-	
7	Ritek	"RITEKG05"	-	-	Y	Y	Y	-	-	-	
8	Prodisc	"ProdiscF01"	-	-	Y	Y	Y	-	-	-	
9	TDK	"TTH01"	-	-	Y	Y	Y	Y	-	-	
10	Gigastorage	"GSC003"	-	-	Y	Y	Y	-	-	-	
11	CMC	"CMC_MAG.AE1"	-	-	Y	Y	Y	-	-	-	
12	Daxon	"DAXON008S"	-	-	Y	Y	Y	-	-	-	
13	Prodisc	"ProdiscS04"	-	-	Y	Y	Y	-	-	-	
14	Leaddata	"LEADDATA S03"	-	-	Y	Y	Y	-	-	-	
15	AMC	"KIC01RG080 "	-	-	Y	Y	Y	-	-	-	
16	Optodisc	"OPTODISCR008"	-	-	Y	Y	Y	-	-	-	
17	LGE	"LGE08"	-	-	Y	Y	Y	-	-	-	
18	Kingdisc	"KDTVVV"	-	-	Y	Y	Y	-	-	-	
19	Infomedia	"INFOMEDIAR20"	-	-	Y	Y	Y	-	-	-	
20	POSTECH	"POSG06"	-	-	Y	Y	Y	-	-	-	
21	Ritek	"RITEKG06"	-	-	Y	Y	Y	-	-	-	
22	Must	"MUST 003"	-	-	Y	Y	Y	-	-	-	
23	Princo	"PRINCO8X02"	-	-	Y	Y	Y	-	-	-	
24	Interaxia	"VDSPMSAB 02"	-	-	Y	Y	Y	-	-	-	
25	Umedisc	"UME01"	-	-	Y	Y	Y	-	-	-	
26	Vanguard	"VANGUARD01"	-	-	Y	Y	Y	-	-	-	
27	TCL	"TCLDS01"	-	-	Y	Y	Y	-	-	-	
28	DST	"Dvsn-80"	-	-	Y	Y	Y	-	-	-	
29	meganmedia	"MJC ME"	-	-	Y	Y	Y	-	-	-	
30	Gigastorage	"GSC004"	-	-	Y	Y	Y	-	-	-	
31	Infosource	"ISSM R01"	-	-	Y	Y	Y	-	-	-	
32	Infosmart	"INFOSMART02"	-	-	Y	Y	Y	-	-	-	
33	TMI	"TMI8X001"	-	-	Y	Y	Y	-	-	-	
34	E-top	"DKMZ01"	-	-	Y	Y	Y	-	-	-	
35	DDT	"DDTRG002"	-	-	Y	Y	Y	-	-	-	
36	Videolar	"VIDEOLAR 02"	-	-	Y	Y	Y	-	-	-	



Supported media list of DVD-R on DVR-112

DVD-R Ver2.0 Rev6.0 (16x format disc)

Writing speed : 4x, 6x, 8x, 12x, 16x, 18x

In case of unknown MID, the writing speed is limited to 4x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status								Remarks
			1x	2x	4x	6x	8x	12x	16x	18x	
1	SONY	"SONY16D1"	-	-	Y	Y	Y	Y	Y	-	
2	Maxell	"MXL RG04"	-	-	Y	Y	Y	Y	Y	-	
3	TDK	"TTH02"	-	-	Y	Y	Y	Y	Y	-	
4	That's	"TYG03"	-	-	Y	Y	Y	Y	Y	Y	
5	MKM	"MCC 03RG20 "	-	-	Y	Y	Y	Y	Y	Y	
6	FujiFilm	"FUJIFILM04"	-	-	Y	Y	Y	Y	Y	-	
7	BeAll	"BeAll G16001"	-	-	Y	Y	Y	Y	Y	-	
8	CMC	"CMC MAG. AM3"	-	-	Y	Y	Y	Y	Y	-	
9	Prodisc	"ProdiscF02"	-	-	Y	Y	Y	Y	Y	-	
10	MBI	"MBI 01RG40"	-	-	Y	Y	Y	Y	Y	-	
11	Daxon	"DAXON016S"	-	-	Y	Y	Y	-	-	-	
12	Ritek	"RITEKF1"	-	-	Y	Y	Y	Y	Y	-	
13	Leaddata	"LEADDATA S04"	-	-	Y	Y	Y	Y	Y	-	
14	Optodisc	"OPTODISCR016"	-	-	-	Y	Y	Y	-	-	
15	MBI	"MBI 03RG40"	-	-	Y	Y	Y	Y	Y	-	
16	AMC	"KIC01RG160"	-	-	Y	Y	Y	Y	Y	-	
17	Ritek	"RITEKM16"	-	-	Y	Y	Y	Y	-	-	
18	Postech	"POSG08"	-	-	Y	Y	Y	Y	Y	-	
19	CMC	"CMC MAG. AM1"	-	-	Y	Y	Y	Y	-	-	
20	Prodisc	"ProdiscS05"	-	-	Y	Y	Y	Y	Y	-	
21	Interaxia	"VDSPMSAB 04"	-	-	Y	Y	Y	Y	-	-	
22	Gigastorage	"GSC005"	-	-	Y	Y	Y	Y	Y	-	
23	MJC(Megan)	"MJC M005"	-	-	Y	Y	Y	Y	Y	-	
24	Must Tech	"MUST007"	-	-	Y	Y	Y	Y	Y	-	
25	Daxon	"DAXON016"	-	-	Y	Y	Y	Y	Y	-	
26	DST	"Dvsn-160"	-	-	Y	Y	Y	Y	-	-	
27	FTI	"FTI RG16"	-	-	Y	Y	Y	Y	Y	-	
28	Princo	"PRINCORG1"	-	-	Y	Y	Y	Y	Y	-	
29	Kingdisc	"KDTTC1-TPCP2"	-	-	Y	Y	Y	Y	-	-	
30	LGE	"LGE16"	-	-	Y	Y	Y	Y	-	-	
31	Gigastorage	"GSC006"	-	-	Y	Y	Y	Y	Y	-	
32	Umedisc	"UME02"	-	-	Y	Y	Y	Y	Y	-	
33	E-top	"EDMA01"	-	-	Y	Y	Y	Y	Y	-	
34	Infosource	"ISSM R02"	-	-	Y	Y	Y	Y	-	-	
35	Infomedia	"INFOMEDIAR30"	-	-	Y	Y	Y	Y	-	-	
36	Wealth Fair	"WFI A16002"	-	-	Y	Y	Y	Y	Y	-	
37	TMI	"TMI003"	-	-	Y	Y	Y	Y	Y	-	
38	Videolar	"VIDEOLAR 03"	-	-	Y	Y	Y	Y	-	-	

DVD-R(DL) Ver3.0 (4x Dual Layer format disc)

Writing speed : 2x, 4x, 6x, 8x

In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status								Remarks
			1x	2x	4x	6x	8x	12x	16x	18x	
1	MKM	"MKM 01RD30 "	-	Y	Y	Y	Y	-	-	-	

DVD-R(DL) Ver3.0 (8x Dual Layer format disc)

Writing speed : 2x, 4x, 6x, 8x, 10x

In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status								Remarks
			1x	2x	4x	6x	8x	12x	16x	18x	
1	MKM	"MKM 03RD30 "	-	Y	Y	Y	Y	Y	-	-	
2	Yuden	"TYG11"	-	Y	Y	Y	Y	-	-	-	
3	Maxell	"MXL RGD02"	-	Y	Y	Y	Y	-	-	-	
4	MBI	"MBI05RD30"	-	Y	Y	Y	Y	-	-	-	



Supported media list of DVD-RW on DVR-112

DVD-RW Ver1.0 (1x format disc)

On all discs, 1x writing is possible

DVD-RW Ver1.1 (1x format disc)

On all discs, 1x writing is possible

DVD-RW Ver1.1 Rev1.0 (2x format disc)

On all discs, 1x,2x writing is possible

DVD-RW Ver1.2 Rev2.0 (4x format disc)

On all discs, 2x,4x writing is possible

DVD-RW Ver1.2 Rev3.0 (6x format disc)

Writing speed : 2x, 4x, 6x

In case of unknown MID, the writing speed is limited to 2x and 4x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status					Remarks
			1x	2x	4x	6x	8x	
1	JVC	"JVC1Victord7"	-	Y	Y	Y	-	
2	MKM	"MKM 01RW6X "	-	Y	Y	Y	-	
3	CMC	"CMCW04"	-	Y	Y	Y	-	
4	RITEK	"RITEKW06"	-	Y	Y	Y	-	
5	TDK	"TDK701saku"	-	Y	Y	Y	-	
6	OPTODISC	"OPTODISCW006"	-	-	Y	Y	-	



Supported media list of DVD+R on DVR-112

DVD+R 2.4x Media

On all discs, 2.4x writing is possible

DVD+R 4x Media

On all discs, 2.4x, 4x writing is possible

DVD+R 8x media

Writing speed : 4x, 6x, 8x, 12x

In case of unknown MID/Media type, the writing speed is limited to 2.4 and 4x.

Y:Yes

No.	Maker	Manufacturer ID	Media type /Rev.	Strategy Status									Remarks
				1x	x	4x	6x	8x	12x	16x	18x		
1	MKM	"MCC_____"	003	-	-	Y	Y	Y	Y	-	-		
2	SONY	"SONY_____"	D11	-	-	Y	Y	Y	Y	-	-		
3	That's	"YUDEN000"	T02	-	-	Y	Y	Y	Y	-	-		
4	Maxell	"MAXELL_ _"	002	-	-	Y	Y	Y	Y	-	-		
5	Philips	"Philips_ _"	081	-	-	Y	Y	Y	Y	-	-		
6	Ricoh	"RICOHJPN"	R02	-	-	Y	Y	Y	Y	-	-		
7	CMC	"CMC MAG_ _"	E01/00	-	-	Y	Y	Y	Y	-	-		
8	Ritek	"RITEK_ _ _"	R03 /02~	-	-	Y	Y	Y	Y	-	-		
9	Daxon	"DAXON_ _ _"	AZ2	-	-	Y	Y	Y	Y	-	-		
10	Prodisc	"PRODISC_ _"	R03	-	-	Y	Y	Y	Y	-	-		
11	Optodisc	"OPTODISC"	OR8	-	-	Y	Y	Y	Y	-	-		
12	Philips	"PHILIPS_ _"	C08	-	-	Y	Y	Y	Y	-	-		
13	MBI	"MBIPG101"	R04	-	-	Y	Y	Y	Y	-	-		
14	MPO	"MPOMEDIA"	080	-	-	Y	Y	Y	Y	-	-		
15	LEADDATA	"LD_____"	S03	-	-	Y	Y	Y	Y	-	-		
16	TDK	"TDK_____"	002	-	-	Y	Y	Y	Y	-	-		
17	Intermedia	"IMC JPN_ _"	R01	-	-	Y	Y	Y	Y	-	-		
18	NAN YA	"NANYA_ _ _"	CLX	-	-	Y	Y	Y	Y	-	-		
19	INFOMEDIA	"INFOME _ _"	R20	-	-	Y	Y	Y	Y	-	-		
20	SKY MEDIA	"SKYMEDIA"	R03	-	-	Y	Y	Y	Y	-	-		
21	UmeDisc	"AML_____"	002	-	-	Y	Y	Y	Y	-	-		
22	Viva Optical	"VIVA_____"	002	-	-	Y	Y	Y	Y	-	-		
23	Wealth Fair	"WFKA11 _ _"	211	-	-	Y	Y	Y	Y	-	-		
24	MeganMedia	"MJC _ _ _"	003	-	-	Y	Y	Y	Y	-	-		
25	MAM-e	"MAM_____"	M02	-	-	Y	Y	Y	Y	-	-		
26	Interaxia	"VDSPMSAB"	002	-	-	Y	Y	Y	Y	-	-		
27	Eastgate	"MICRON _ _"	001	-	-	Y	Y	Y	Y	-	-		
28	AMC	"KIC00000"	S80	-	-	Y	Y	Y	Y	-	-		
29	DDD	"DDDessau"	V30	-	-	Y	Y	Y	Y	-	-		
30	Infosource	"ISSM _ _ _"	001	-	-	Y	Y	Y	Y	-	-		
31	Infosmart	"IS02 _ _ _"	001	-	-	Y	Y	Y	Y	-	-		
32	Must Tech	"MUST _ _ _"	002	-	-	Y	Y	Y	Y	-	-		
33	E-top	"EMDPZ3 _ _"	001	-	-	Y	Y	Y	Y	-	-		
34	Videolar	"VIDEOLAR"	002	-	-	Y	Y	Y	Y	-	-		



Supported media list of DVD+R on DVR-112

DVD+R 16x media

Writing speed : 4x, 6x, 8x, 12x, 16x, 18x

In case of unknown MID/Media type, the writing speed is limited to 2.4 and 4x.

Y:Yes

No.	Maker	Manufacturer ID	Media type /Rev.	Strategy Status								Remarks
				1x	x	4x	6x	8x	12x	16x	18x	
1	MKM	"MCC"	004	-	-	Y	Y	Y	Y	Y	Y	
2	That's	"YUDEN000"	T03	-	-	Y	Y	Y	Y	Y	Y	
3	SONY	"SONY"	D21	-	-	Y	Y	Y	Y	Y	Y	
4	Maxell	"MAXELL"	003	-	-	Y	Y	Y	Y	Y	-	
5	TDK	"TDK"	003	-	-	Y	Y	Y	Y	-	-	
6	CMC	"CMC MAG_"	M01	-	-	Y	Y	Y	Y	-	-	
7	Prodisc	"PRODISC_"	R04	-	-	Y	Y	Y	Y	Y	-	
8	MBI	"MBIPG101"	R05	-	-	Y	Y	Y	Y	Y	-	
9	Philips	"PHILIPS_"	CL6	-	-	Y	Y	Y	Y	-	-	
10	Ricoh	"RICOHJPN"	R03	-	-	Y	Y	Y	Y	-	-	
11	Must Tech	"MUST"	006	-	-	Y	Y	Y	Y	Y	-	
12	Optodisc	"OPTODISC"	R16	-	-	Y	Y	Y	Y	-	-	
13	Daxon	"DAXON"	AZ3	-	-	Y	Y	Y	Y	Y	-	
14	BeAll	"BeAll000"	PG0	-	-	Y	Y	Y	Y	-	-	
15	Daxon	"DAXON"	CY3	-	-	Y	Y	Y	Y	-	-	
16	LEADDATA	"LD"	S04	-	-	Y	Y	Y	Y	Y	-	
17	Ritek	"RITEK"	P16	-	-	Y	Y	Y	Y	-	-	
18	LGE	"LGEPl6"	001	-	-	Y	Y	Y	Y	Y	-	
19	Infomedia	"INFOME"	R30	-	-	Y	Y	Y	Y	Y	-	
20	CMC	"CMC MAG_"	M02	-	-	Y	Y	Y	Y	Y	-	
21	Ritek	"RITEK"	R05	-	-	Y	Y	Y	-	-	-	
22	Interaxia	"VDSFMSAB"	004	-	-	Y	Y	Y	Y	-	-	
23	Postech	"POS"	R05	-	-	Y	Y	-	-	-	-	
24	Prodisc	"PRODISC_"	R05	-	-	Y	Y	Y	Y	-	-	
25	E-TOP	"EMDPA"	Z01	-	-	Y	Y	Y	Y	-	-	
26	Gigastorage	"GSC503"	H02	-	-	Y	Y	Y	Y	-	-	
27	Umedisc	"AML"	003	-	-	Y	Y	Y	Y	Y	-	
28	Wealth Fair	"WFKAll"	321	-	-	Y	Y	Y	Y	-	-	
29	Infosource	"ISSM"	003	-	-	Y	Y	Y	Y	Y	-	
30	DST	"Dvsn+160"	001	-	-	Y	Y	Y	Y	-	-	
31	Ritek	"RITEK"	F16	-	-	Y	Y	Y	Y	Y	-	
32	FTI	"FTI"	016	-	-	Y	Y	Y	Y	-	-	
33	MJC	"MJC"	005	-	-	Y	Y	Y	Y	-	-	
34	Eastgate	"MICRON"	002	-	-	Y	Y	Y	Y	-	-	
35	VDL ODMS	"ODMS"	002	-	-	Y	Y	Y	-	-	-	
36	Videolar	"VIDEOLAR"	003	-	-	Y	Y	Y	Y	-	-	

DVD+R 2.4x Media / Double Layer

Writing speed : 2.4x, (4x), (6x), (8x)

In case of unknown MID, the writing speed is 2.4x.

Y:Yes

No.	Maker	Manufacturer ID	Media type /Rev.	Strategy Status								Remarks
				1x	x	4x	6x	8x	12x	16x	18x	
1	MKM	"MKM"	001	-	Y	Y	Y	Y	-	-	-	
2	Ricoh	"RICOHJPN"	D00	-	Y	-	-	-	-	-	-	
3	CMC	"CMC MAG_"	D01	-	Y	-	-	-	-	-	-	

DVD+R 8x Media / Double Layer

Writing speed : 2.4x, 4x, 6x, 8x, 10x, 12x

In case of unknown MID, the writing speed is limited to 2.4x.

Y:Yes

No.	Maker	Manufacturer ID	Media type /Rev.	Strategy Status								Remarks
				1x	x	4x	6x	8x	12x	16x	18x	
1	MKM	"MKM"	003	-	Y	Y	Y	Y	Y	-	-	
2	Ricoh	"RICOHJPN"	D01,Rev02	-	Y	-	-	-	-	-	-	
3	Ricoh	"RICOHJPN"	D01,Rev43	-	Y	Y	Y	Y	Y	-	-	
4	Ritek	"RITEK"	S04	-	Y	Y	Y	Y	Y	-	-	
5	MBI	"MBIPG101"	R10,rev.1	-	Y	Y	Y	Y	Y	-	-	
6	CMC	"CMC MAG_"	D03	-	Y	Y	Y	Y	Y	-	-	
7	FTI	"FTI"	R08	-	Y	Y	Y	Y	Y	-	-	
8	UME	"UMEDISC_"	DL1	-	Y	Y	Y	Y	Y	-	-	
9	MBI	"MBIPG101"	R12	-	Y	Y	Y	Y	Y	-	-	



Supported media list of DVD+RW on DVR-112

DVD+RW 2.4x Media

On all discs, 2.4x writing is possible

DVD+RW 4x Media

On all discs, 2.4x, 4x writing is possible

DVD+RW 8x media

Writing speed : 3.3x, 6x, 8x

Y:Yes

No.	Maker	Manufacturer ID	Media type /Rev.	Strategy Status						Remarks
				1x	x	x	4x	6x	8x	
1	Philips	"PHILIPS_ "	RW8	-	-	Y	-	Y	-	
2	RITEK	"RITEK_ "	008	-	-	Y	-	-	-	
3	Ricoh	"RICOHJPN "	W21	-	-	Y	-	Y	Y	
4	SONY	"SONY_ "	S21	-	-	Y	-	Y	Y	
5	CMC	"CMC MAG_ "	W03	-	-	Y	-	Y	-	
6	MKM	"MKM_ "	A03	-	-	Y	-	Y	Y	
7	Infomedia	"INFOME "	A20	-	-	-	-	Y	-	
8	Optodisc	"OPTODISC "	OP8	-	-	Y	-	Y	Y	
9	DAXON	"DAXON_ "	W81	-	-	Y	-	Y	-	
10	Prodisc	"PRODISC "	W03	-	-	Y	-	-	-	
11	MBI	"MBIPG101 "	W05	-	-	Y	-	-	-	

On discs other than the above are rejected.



Supported media list of DVD-RAM on DVR-112

DVD-RAM Ver2.1 (2x format disc)

On all discs, 2x writing is possible

DVD-RAM Ver2.1 Rev1.0 (3x format disc)

Writing speeds: 2x, 3x

In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status						Remarks
			2x	3x	5x	6x	8x	12x	
1	Matsushita	"M01J3002"	Y	Y	-	-	-	-	
2	Matsushita	"M01J3003"	Y	Y	-	-	-	-	
3	Matsushita	"M01J3004"	Y	Y	-	-	-	-	
4	Maxell	"MXL8"	Y	Y	-	-	-	-	
5	Maxell	"MXL9"	Y	Y	-	-	-	-	
6	Maxell	"MXL13"	Y	Y	-	-	-	-	

DVD-RAM Ver2.2 Rev2.0 (5x format disc)

Writing speeds: 2x, 3x, 5x

In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status						Remarks
			2x	3x	5x	6x	8x	12x	
1	Maxell	"MXL16"	Y	Y	Y	-	-	-	
2	Matsushita	"M01J5006"	Y	Y	Y	-	-	-	

DVD-RAM Ver2.2 Rev5.0 (12x format disc)

Writing speeds: 6x, 8x, 12x

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status						Remarks
			2x	3x	5x	6x	8x	12x	
1	Maxell	"MXL22"	-	-	-	Y	Y	Y	

On discs other than the above are rejected.



Supported media list of CD-R on DVR-112

CD-R Media Not listed CD-R media, 4X,10X,16X,24X,32X writing is possible

Y:Yes

Manufacturer	Name	Lead In Start	Lead Out Start	Strategy Status	Remark
4M	x52 Phthalo 80	97:28:26	79:59:74	Y	
CMC	x52 80	97:26:66	79:59:73	Y	
CMC	x52 80	97:26:66	79:59:71	Y	
CMC	x48 Phthalo 80	97:26:66	79:59:71	Y	
CMC	x48 Phthalo 80	97:26:66	79:59:73	Y	
CMC	x24 Phthalo 80	97:26:66	79:59:74	Y	
CMC	x16 Phthalo 80	97:26:66	79:59:74	Y	
Daxon (ACER)	Phthalo 74	97:22:65	74:59:74	Y	
Daxon (ACER)	Phthalo 80	97:22:66	79:59:74	Y	
Daxon (ACER)	X48/52 Phthalo 80	97:22:67	79:59:74	Y	
Daxon (ACER)	X40 Phthalo 80	97:22:67	79:59:74	Y	
Daxon (ACER)	X32 Phthalo 80	97:22:67	79:59:74	Y	
DigitalStrage	SW TECHNOLOGY	97:27:06	79:59:73	Y	
EMTEC (Plasmon)	52x 80	97:27:18	79:59:74	Y	
FujiFilm	Cyanine74	97:26:40	74:45:00	Y	
FujiFilm	Cyanine74Audio	97:26:40	74:45:00	Y	
FujiFilm	Cyanine80Audio	97:26:40	79:59:74	Y	
FujiFilm	X48/52 Phthalo 80	97:26:45	79:59:73	Y	
FujiFilm	X32 Phthalo 74	97:26:45	74:45:00	Y	
FujiFilm	X12 Phthalo	97:26:45	79:59:74	Y	
Gigastorage	Cyanine 80	97:28:12	79:59:74	Y	
Gigastorage	Phthalo	97:28:15	79:59:74	Y	
INFODISC	x52 Phthalo 80	97:25:35	79:59:74	Y	
KODAK	74 Silver	97:27:45	74:05:01	Y	
KODAK	74 Gold	97:27:45	74:05:01	Y	
KODAK	80 Silver	97:27:45	79:59:74	Y	
KODAK	80NEW	97:27:46	79:59:74	Y	
Lead Dada	x24 Cyanine 80	97:26:51	79:59:74	Y	
Lead Dada	x32 Phthalo 80	97:26:56	79:59:74	Y	
Lead Dada	x24 Phthalo 80	97:26:57	79:59:74	Y	
Lead Dada	x48 Phthalo 74	97:24:16	79:59:74	Y	
MAXELL	CD-R74(=23)	97:25:22	74:30:00	Y	
MAXELL	74 Data	97:25:23	74:30:00	Y	
MAXELL	80 Data	97:25:23	79:59:74	Y	
MAXELL	48x Phthalo 74	97:25:29	74:30:00	Y	
MAXELL	48x Phthalo 80	97:25:29	79:59:74	Y	
MAXELL	Cyanine 74	97:25:24	74:30:00	Y	
MAXELL	Cyanine 80	97:25:24	79:59:74	Y	
MBI	x52 80	97:17:06	79:59:74	Y	
MBI	Phthalo 90	97:17:06	90:02:00	Y	
MBI	x48 Phthalo 80	97:17:06	79:59:74	Y	
MBI	Phthalo 100	97:27:19	79:59:74	Y	
MCC(MITSUBISHI)	Supper-Azo 80	97:15:21	79:59:74	Y	
MCC(MITSUBISHI)	Supper-Azo 74	97:34:21	74:43:00	Y	
MCC(MITSUBISHI)	Super-Azo HG80	97:34:22	79:59:74	Y	
MCC(MITSUBISHI)	48x SONIC-Azo 80	97:34:23	79:59:73	Y	
MCC(MITSUBISHI)	Supper-Azo HGX80	97:34:23	79:59:74	Y	
MCI(MITSUI)	CDRG74MG	97:27:55	74:05:10	Y	
MCI(MITSUI)	CDRG80MG	97:27:55	79:59:74	Y	
MCI(MITSUI)	MJCDRG80MG	97:27:55	79:59:74	Y	
MCI(MITSUI)	x24 Phthalo 74	97:27:56	74:05:11	Y	
MCI(MITSUI)	X24 Phthalo 80	97:27:56	79:59:74	Y	
MCI(MITSUI)	X40 Phthalo 80	97:27:58	79:59:74	Y	
MCI(MITSUI)	MTCDR63G	97:48:55	63:04:00	Y	



Supported media list of CD-R on DVR-112

CD-R Media Not listed CD-R media, 4X,10X,16X,24X,32X writing is possible
Y:Yes

Manufacturer	Name	Lead In Start	Lead Out Start	Strategy Status	Remark
NAN-YA Plastics	Ever Media	97:15:37	79:59:74	Y	
PRINCO	CDR-74	97:27:28	74:50:01	Y	
PRINCO	CDR-80	97:27:28	79:59:74	Y	
PRODISC	74	97:32:19	74:30:00	Y	
PRODISC	74Audio	97:32:19	74:30:00	Y	
PRODISC	x52 Phthalo 80	97:32:19	79:59:71	Y	
PRODISC	x48 Phthalo 80	97:32:19	79:59:72	Y	
PRODISC	x40 Phthalo 80	97:32:19	79:59:73	Y	
PRODISC	x24 Phthalo 80	97:32:19	79:59:74	Y	
PRODISC	80	97:32:19	79:59:74	Y	
RICOH	Type 74R-SG	97:27:66	74:12:00	Y	
RICOH	x40/48 Phthalo 80	97:27:66	79:59:71	Y	
RICOH	x20 Phthalo 80	97:27:66	79:59:74	Y	
RICOH	Type 80	97:27:66	79:59:74	Y	
RITEK	G Type80	97:15:17	79:59:74	Y	
RITEK	H Type74	97:31:01	74:45:00	Y	
RITEK	G Type74	97:31:07	74:45:00	Y	
RITEK	H Type80	97:15:11	79:59:74	Y	
RITEK	S Type80	97:15:12	79:59:73	Y	
RITEK	K Type80	97:15:12	79:59:74	Y	
RITEK	48x JS Type80	97:15:17	79:59:70	Y	
RITEK	JS Type80	97:15:17	79:59:73	Y	
RITEK	S Type74	97:31:01	74:45:01	Y	
RITEK	K Type74	97:31:02	74:45:00	Y	
RITEK	JS Type74	97:31:07	74:45:01	Y	
RITEK	JS Type74	97:31:07	74:45:02	Y	
RITEK	R Type74	97:31:08	74:45:00	Y	
SKC	x52 Phthalo 80	97:26:26	79:59:73	Y	
SKC	x32 Phthalo 80	97:26:26	79:59:74	Y	
SKC	Phthalo	97:26:26	79:59:74	Y	
SONY	X32 Cyanine	97:24:12	79:59:74	Y	
SONY	x40 Phthalo 80	97:24:15	79:59:74	Y	
SONY	x48/52 Phthalo 80	97:24:16	79:59:74	Y	
SONY	74	97:24:11	74:43:00	Y	
SONY	74Audio	97:24:11	74:43:00	Y	
SONY	80	97:24:11	79:59:74	Y	
TaiyoYuden	74P	97:24:01	74:43:00	Y	
TaiyoYuden	X40NEW	97:24:01	74:43:02	Y	
TaiyoYuden	74X	97:24:01	74:43:01	Y	
TaiyoYuden	X40NEW	97:24:01	79:59:72	Y	
TaiyoYuden	32x 80X	97:24:01	79:59:73	Y	
TaiyoYuden	80P	97:24:01	79:59:74	Y	
TDK	CD-R80(15)	97:15:00	79:59:74	Y	
TDK	X40 Phthalo 90	97:15:05	91:01:48	Y	
TDK	X48/52 Phthalo 80	97:15:05	79:59:74	Y	
TDK	CD-R80(25)	97:25:00	79:59:74	Y	
TDK	CD-R74	97:32:00	74:59:00	Y	
TDK	X48 Phthalo 74	97:32:05		Y	
TDK	CD-R63S	97:49:00	63:52:00	Y	
TDK	Cyanine 80	97:15:01	79:59:74	Y	
TDK	Cyanine 74	97:32:01	74:59:00	Y	



Supported media list of CD-RW on DVR-112

CD-RW : Normal Speed (4X)

On all discs, 4x writing is possible

CD-RW : High Speed (4X--10X)

On all discs, 4x, 10x writing is possible

CD-RW : Ultra Speed (24X media)

On all discs, 10x, 16x, 20x, 24x writing is possible

CD-RW : Ultra Speed+ (32X media)

On all discs, 16x, 24x, 32x writing is possible

