



## *Supported media list*

- DVD-R on DVR-116
- DVD-RW on DVR-116
- DVD+R on DVR-116
- DVD+RW on DVR-116
- DVD-RAM on DVR-116
- CD-R on DVR-116
- CD-RW on DVR-116

**Ver.1.09**



## Supported media list of DVD-R on DVR-116

### DVD-R Ver2.0 (1x format disc)

On all discs, 1x writing is possible

### DVD-R Ver2.0 Rev1.0 (4x format disc)

On all discs, 2x, 4x writing is possible

### DVD-R Ver2.0 Rev2.0 (8x format disc)

Writing speed : 4x, 6x, 8x, 12x

In case of unknown MID, the writing speed is limited to 4x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status									Remarks
			1x	2x	4x	6x	8x	12x	16x	18x	20x	
1	CMC	"CMC MAG. AE1"	-	-	Y	Y	Y	Y	-	-	-	
2	Daxon	"DAXON008S"	-	-	Y	Y	Y	-	-	-	-	
3	DDT	"DDTRG002"	-	-	Y	Y	Y	-	-	-	-	
4	King pro media	"DKMZ01"	-	-	Y	Y	Y	-	-	-	-	
5	DST	"Dvsn-80"	-	-	Y	Y	Y	-	-	-	-	
6	Gigastorage	"GSC003"	-	-	Y	Y	Y	-	-	-	-	
7	Gigastorage	"GSC004"	-	-	Y	Y	Y	-	-	-	-	
8	Infimedia	"INFOMEDIAR20"	-	-	Y	Y	Y	-	-	-	-	
9	Infosmart	"INFOSMART02."	-	-	Y	Y	Y	-	-	-	-	
10	Infosource	"ISSM R01"	-	-	Y	Y	Y	-	-	-	-	
11	Kingdisc	"KDTVVV"	-	-	Y	Y	Y	-	-	-	-	
12	KITANO	"KIC01RG080"	-	-	Y	Y	Y	-	-	-	-	
13	Lead Data	"LEADDATA S03"	-	-	Y	Y	Y	-	-	-	-	
14	LGE	"LGE08"	-	-	Y	Y	Y	-	-	-	-	
15	MKM	"MCC 02RG20"	-	-	Y	Y	Y	-	-	-	-	
16	Meganmedia	"MJC ME"	-	-	Y	Y	Y	-	-	-	-	
17	Must	"MUST 003"	-	-	Y	Y	Y	-	-	-	-	
18	MAXELL	"MXL RG03"	-	-	Y	Y	Y	-	-	-	-	
19	OPTODISC	"OPTODISCR008"	-	-	Y	Y	Y	-	-	-	-	
20	PRINCO	"PRINCO8X02"	-	-	Y	Y	Y	-	-	-	-	
21	PRODISC	"ProdiscF01"	-	-	Y	Y	Y	-	-	-	-	
22	PRODISC	"ProdiscS04"	-	-	Y	Y	Y	-	-	-	-	
23	RITEK	"RITEKG05"	-	-	Y	Y	Y	-	-	-	-	
24	SONY	"SONY08D1"	-	-	Y	Y	Y	-	-	-	-	
25	TCL	"TCLDS01"	-	-	Y	Y	Y	-	-	-	-	
26	TMI	"TMI8X001"	-	-	Y	Y	Y	-	-	-	-	
27	TDK	"TTG02"	-	-	Y	Y	Y	-	-	-	-	
28	TDK	"TTH01"	-	-	Y	Y	Y	-	-	-	-	
29	TAIYOYUDEN	"TYG02"	-	-	Y	Y	Y	-	-	-	-	
30	Umedisc	"UME01"	-	-	Y	Y	Y	-	-	-	-	
31	Vanguard	"VANGUARD01"	-	-	Y	Y	Y	-	-	-	-	



## Supported media list of DVD-R on DVR-116

DVD-R Ver2.0 Rev6.0 (16x format disc)  
 Writing speed : 4x, 6x, 8x, 12x, 16x, 18x, 20x  
 In case of unknown MID, the writing speed is limited to 4x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status										Remarks
			1x	2x	4x	6x	8x	12x	16x	18x	20x		
1	CMC	"CMC MAG. AM3"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
2	CMC	"CMC MAG. AM4"	-	-	Y	Y	Y	Y	Y	Y	Y	Y	
3	Daxon	"DAXON016S"	-	-	Y	Y	Y	Y	Y	Y	Y	Y	
4	DST	"Dvsn-160"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
5	E-top	"EDMA01"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
6	FTI	"FTI RG16"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
7	FUJIFILM	"FUJIFILM04"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
8	FUJIFILM	"FUJIFILM05"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
9	Gigastorage	"GSC005"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
10	Gigastorage	"GSC006"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
11	Infomedia	"INFOMEDIAR30"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
12	Infosource	"ISSM R02"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
13	Kingdisc	"KDTTC1-TPCP2"	-	-	Y	Y	Y	Y	Y	Y	-	-	
14	LGE	"LGE16"	-	-	Y	Y	Y	Y	Y	Y	-	-	
15	MBI	"MBI 01RG40"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
16	MBI	"MBI 01RG50"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
17	MBI	"MBI 03RG40"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
18	MBI	"MBI 03RG50"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
19	MKM	"MCC 03RG20"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
20	Must	"MUST 007"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
21	MAXELL	"MXL RG04"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
22	NSD	"NSDR40"	-	-	Y	Y	Y	Y	Y	Y	-	-	
23	OPTODISC	"OPTODISCR016"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
24	PRINCO	"PRINCORGM1"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
25	PRINCO	"PRINCORGM2"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
26	PRODISC	"ProdiscF02"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
27	PRODISC	"ProdiscS05"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
28	RITEK	"RITEKF1"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
29	RITEK	"RITEKF2"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
30	RITEK	"RITEKM16"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
31	SONY	"SONY16D1"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
32	TMI	"TMI003"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
33	TDK	"TTH02"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
34	TAIYOYUDEN	"TYG03"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
35	VIDEOLAR	"VIDEOLAR 03"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
36	Wealth Fair	"WFI A16002"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
37	Umedisc	"UME02"	-	-	Y	Y	Y	Y	Y	Y	Y	-	
38	Lead Data	"LEADDATA S04"	-	-	Y	Y	Y	Y	Y	Y	Y	-	

DVD-R(DL) Ver3.0 (4x Dual Layer format disc)  
 Writing speed : 2x, 4x, 6x, 8x  
 In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status									Remarks
			1x	2x	4x	6x	8x	10x	12x	16x	18x	
1	CMC	"CMC MAG. AD4"	-	Y	Y	-	-	-	-	-	-	
2	MKM	"MKM 01RD30"	-	Y	Y	Y	Y	-	-	-	-	
3	PRINCO	"PRINCORDL05"	-	Y	Y	-	-	-	-	-	-	
4	RITEK	"RITEKP01"	-	Y	Y	-	-	-	-	-	-	

DVD-R(DL) Ver3.0 (8x Dual Layer format disc)  
 Writing speed : 2x, 4x, 6x, 8x, 10x  
 In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status									Remarks
			1x	2x	4x	6x	8x	10x	12x	16x	18x	
1	CMC	"CMC MAG. AD8"	-	Y	Y	Y	Y	-	-	-	-	
2	MBI	"MBI 05RD30"	-	Y	Y	Y	Y	-	-	-	-	
3	MKM	"MKM 03RD30"	-	Y	Y	Y	Y	Y	-	-	-	
4	MAXELL	"MXL RG02"	-	Y	Y	Y	Y	-	-	-	-	
5	PRINCO	"PRINCORDL32"	-	Y	Y	-	-	-	-	-	-	
6	RITEK	"RITEKP02"	-	Y	Y	Y	Y	-	-	-	-	
7	TAIYOYUDEN	"TYG11"	-	Y	Y	Y	Y	-	-	-	-	

DVD-R(DL) Ver3.0 (12x Dual Layer format disc)  
 Writing speed : 2x, 4x, 6x, 8x, 10x, 12x  
 In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status	1x	2x	4x	6x	8x	10x	12x	16x	18x	Remarks
1	MKM	"MKM 04RD30"	-	Y	Y	Y	Y	Y	Y	Y	-	-	



## Supported media list of DVD-RW on DVR-116

### DVD-RW Ver1.0 (1x format disc)

On all discs, 1x writing is possible

### DVD-RW Ver1.1 (1x format disc)

On all discs, 1x writing is possible

### DVD-RW Ver1.1 Rev1.0 (2x format disc)

On all discs, 1x,2x writing is possible

### DVD-RW Ver1.2 Rev2.0 (4x format disc)

On all discs, 2x,4x writing is possible

### DVD-RW Ver1.2 Rev3.0 (6x format disc)

#### Writing speed : 2x, 4x, 6x

In case of unknown MID, the writing speed is limited to 2x and 4x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status					Remarks
			1x	2x	4x	6x	8x	
1	CMC	"CMCW04"	-	Y	Y	Y	-	
2	Infomedia	"INFOMEDIAA30"	-	Y	Y	-	-	
3	JVC	"JVC1Victord7"	-	Y	Y	Y	-	
4	MKM	"MKM 01RW6X01"	-	Y	Y	Y	-	
5	OPTODISC	"OPTODISCW006"	-	Y	Y	Y	-	
6	RITEK	"RITEKW06"	-	Y	Y	Y	-	
7	TDK	"TDK701saku"	-	Y	Y	Y	-	



## Supported media list of DVD+R on DVR-116

### DVD+R 2.4x Media

On all discs, 2.4x writing is possible

### DVD+R 4x Media

On all discs, 2.4x, 4x writing is possible

### DVD+R 8x media

**Writing speed : 4x, 6x, 8x, 12x**

In case of unknown MID/Media type, the writing speed is limited to 2.4 and 4x.

Y:Yes

No.	Maker	Manufacturer ID	Media Type / .Rev	Strategy Status								Remarks
				2.4x	4x	6x	8x	12x	16x	18x	20x	
1	Umedisc	"AML_"	"002"	-	Y	Y	Y	-	-	-	-	
2	CMC	"CMC MAG_"	"E01"	-	Y	Y	Y	-	-	-	-	
3	Daxon	"DAXON_"	"A22"	-	Y	Y	Y	-	-	-	-	
4	DDD	"DDDessau"	"V30"	-	Y	Y	Y	-	-	-	-	
5	E-top	"EMDPZ3_"	"001"	-	Y	Y	Y	-	-	-	-	
6	Infomedia	"INFOME_"	"R20"	-	Y	Y	Y	-	-	-	-	
7	Infosource	"ISSM_"	"001"	-	Y	Y	Y	-	-	-	-	
8	KITANO	"KIC00000"	"S80"	-	Y	Y	Y	-	-	-	-	
9	LeadData	"LD_"	"S03"	-	Y	Y	Y	-	-	-	-	
10	MAXELL	"MAXELL_"	"002"	-	Y	Y	Y	Y	-	-	-	
11	MKM	"MCC_"	"003"	-	Y	Y	Y	Y	-	-	-	
12	Eastgate	"MICRON_"	"001"	-	Y	Y	Y	-	-	-	-	
13	Meganmedia	"MJC_"	"003"	-	Y	Y	Y	-	-	-	-	
14	Must	"MUST_"	"002"	-	Y	Y	Y	-	-	-	-	
15	OPTODISC	"OPTODISC"	"OR8"	-	Y	Y	Y	-	-	-	-	
16	PRODISC	"PRODISC_"	"R03"	-	Y	Y	Y	-	-	-	-	
17	PHILIPS	"Philips_"	"081"	-	Y	Y	Y	Y	-	-	-	
18	RICOH	"RICOHJPN"	"R02"	-	Y	Y	Y	-	-	-	-	
19	RITEK	"RITEK_"	"R03"	-	Y	Y	Y	-	-	-	-	
20	SKYMEDIA	"SKYMEDIA"	"R03"	-	Y	Y	Y	-	-	-	-	
21	SONY	"SONY_"	"D11"	-	Y	Y	Y	Y	-	-	-	
22	TDK	"TDK_"	"002"	-	Y	Y	Y	Y	-	-	-	
23	VIDEOLAR	"VIDEOLAR"	"002"	-	Y	Y	Y	-	-	-	-	
24	TAIYOYUDEN	"YUDEN000"	"T02"	-	Y	Y	Y	Y	-	-	-	



#### **Supported media list of DVD+R on DVR-116**

DVD+R 16x media

Writing speed : 4x, 6x, 8x, 12x, 16x, 18x, 20x

In case of unknown MID/Media type, the writing speed is limited to 2.4 and 4x.

YiYes

No.	Maker	Manufacturer ID	Media Type / .Rev	Strategy Status										Remarks
				2.4x	4x	6x	8x	12x	16x	18x	20x			
1	Umedisc	"AML"	"003"	-	Y	Y	Y	Y	Y	Y	Y			
2	CMC	"CMC MAG_"	"M01"	-	Y	Y	Y	Y	Y	Y	Y	-		
3	CMC	"CMC MAG_"	"M02"	-	Y	Y	Y	Y	Y	Y	Y			
4	Daxon	"DAXON_"	"AZ3"	-	Y	Y	Y	Y	Y	Y	Y	-		
5	E-top	"EMPAZ01"	"000"	-	Y	Y	Y	Y	-	-	-			
6	FTI	"FTI_"	"016"	-	Y	Y	Y	Y	Y	Y	Y	-		
7	Infosource	"ISSM_"	"003"	-	Y	Y	Y	Y	Y	Y	Y			
8	LeadData	"LD_"	"S04"	-	Y	Y	Y	Y	Y	Y	Y	-		
9	LGE	"LGEPI16"	"001"	-	Y	Y	Y	Y	Y	Y	Y	-		
10	MAXELL	"MAXELL_"	"003"	-	Y	Y	Y	Y	Y	Y	Y	-		
11	MBI	"MBIPG101"	"R05"	-	Y	Y	Y	Y	Y	Y	Y			
12	MKM	"MCC_"	"004"	-	Y	Y	Y	Y	Y	Y	Y			
13	Eastgate	"MICRON_"	"002"	-	Y	Y	Y	Y	Y	Y	Y	-		
14	Megamedia	"MJC_"	"005"	-	Y	Y	Y	Y	Y	Y	Y	-		
15	Must	"MUST_"	"006"	-	Y	Y	Y	Y	Y	Y	Y	-		
16	ODME	"ODMS_"	"002"	-	Y	Y	Y	Y	Y	Y	Y	-		
17	OPTODISC	"OPTODISC"	"R16"	-	Y	Y	Y	Y	Y	Y	Y	-		
18	PRINCO	"PRINCO16"	"004"	-	Y	Y	Y	Y	Y	Y	Y	-		
19	PRODISC	"PRODISC_"	"R05"	-	Y	Y	Y	Y	Y	Y	Y			
20	RICOH	"RICOHJPN"	"R03",Rev0以外	-	Y	Y	Y	Y	Y	Y	Y	-		
21	RITEK	"RITEK_"	"P16",Rev0以外	-	Y	Y	Y	Y	Y	Y	Y	-		
22	RITEK	"RITEK_"	"P16",Rev0のみ	-	Y	Y	Y	Y	Y	Y	Y			
23	RITEK	"RITEK_"	"P16"	-	Y	Y	Y	Y	Y	Y	Y			
24	RITEK	"RITEK_"	"R05",Rev0以外	-	Y	Y	Y	Y	Y	Y	Y	-		
25	RITEK	"RITEK_"	"R05",Rev0のみ	-	Y	Y	Y	Y	Y	Y	Y			
26	SONY	"SONY_"	"D21"	-	Y	Y	Y	Y	Y	Y	Y	-		
27	TDK	"TDK_"	"003"	-	Y	Y	Y	Y	Y	Y	Y	-		
28	Wealth Fair	"WFKA11"	"321"	-	Y	Y	Y	Y	Y	Y	Y	-		
29	TAIYOYUDEN	"YUDEN000"	"T03"	-	Y	Y	Y	Y	Y	Y	Y			
30	Gigastorage	"GSC503"	"H02"	-	Y	Y	Y	Y	Y	Y	Y	-		
31	Infomedia	"INFOME_"	"R30"	-	Y	Y	Y	Y	Y	Y	Y	-		
32	PRODISC	"PRODISC_"	"R04"	-	Y	Y	Y	Y	Y	Y	Y	-		
33	VIDEOLAR	"VIDEOLAR"	"003"	-	Y	Y	Y	Y	Y	Y	Y	-		
34	DST	"Dvsn+160"	"001"	-	Y	Y	Y	Y	Y	Y	Y	-		

DVD+R 2.4x media / Double Layer

Writing speed : 2.4x - (4x) - (6x) - (8x)

In case of unknown MID, the writing speed is 2.4x

33333

Y:Yes												
No.	Maker	Manufacturer ID	Media Type .Rev	Strategy Status								Remarks
1	MKM	"MKM"	"001"	2.4x	4x	6x	8x	10x	12x	16x	18x	-

DVD+R 8x media / Double Layer

Waiting speed : 3.4m 4m 6m 8m 10m 12m

Writing speed : 2.4x, 4x, 6x, 8x, 10x, 12x  
Transfer speed : 1.4 MB/s (the write speed can be limited to 2.4 MB/s)

to 2.41

DVD+R 16x media / Double Layer

Writing speed : 2x 4x 6x 8x 10x 12x

In case of unknown MID, the writing speed is limited to 2.4x.

L8 2.4.



## Supported media list of DVD+RW on DVR-116

### DVD+RW 2.4x Media

On all discs, 2.4x writing is possible

### DVD+RW 4x Media

On all discs, 2.4x, 4x writing is possible

### DVD+RW 8x media

Writing speed : 3.3x, 6x, 8x

Y:Yes

No.	Maker	Manufacturer ID	Media Type / .Rev	Strategy Status					Remarks
				2.4x	3.3x	4x	6x	8x	
1	CMC	"CMC MAG_ "	"W03"	-	Y	-	Y	Y	
2	Daxon	"DAXON_ "	"W81"	-	Y	-	Y	-	
3	Infomedia	"INFOME_ "	"A20"	-	Y	-	Y	-	
4	MBI	"MBIPG101"	"W05"	-	Y	-	-	-	
5	MKM	"MKM_ "	"A03"	-	Y	-	Y	Y	
6	OPTODISC	"OPTODISC"	"OP8"	-	Y	-	Y	Y	
7	PHILIPS	"PHILIPS_ "	"RW8"	-	Y	-	Y	-	
8	PRODISC	"PRODISC_ "	"W03"	-	Y	-	-	-	
9	RICOH	"RICOHJPN"	"W21"	-	Y	-	Y	Y	
10	RITEK	"RITEK_ "	"008"	-	Y	-	Y	Y	
11	SONY	"SONY_ "	"S21"	-	Y	-	Y	Y	

On discs other than the above are rejected.



### Supported media list of DVD-RAM on DVR-116

#### DVD-RAM Ver2.1 (2x format disc)

On all discs, 2x writing is possible

#### DVD-RAM Ver2.1 Rev1.0 (3x format disc)

**Writing speeds: 2x, 3x**

In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status						Remarks
			2x	3x	5x	6x	8x	12x	
1	Panasonic	"M01J3002"	Y	Y	-	-	-	-	
2	Panasonic	"M01J3003"	Y	Y	-	-	-	-	
3	Panasonic	"M01J3004"	Y	Y	-	-	-	-	
4	MAXELL	"MXL13"	Y	Y	-	-	-	-	
5	MAXELL	"MXL8"	Y	Y	-	-	-	-	
6	MAXELL	"MXL9"	Y	Y	-	-	-	-	

#### DVD-RAM Ver2.2 Rev2.0 (5x format disc)

**Writing speeds: 2x, 3x, 5x**

In case of unknown MID, the writing speed is limited to 2x.

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status						Remarks
			2x	3x	5x	6x	8x	12x	
1	Panasonic	"M01J5006"	Y	Y	Y	-	-	-	
2	MAXELL	"MXL16"	Y	Y	Y	-	-	-	

#### DVD-RAM Ver2.2 Rev5.0 (12x format disc)

**Writing speeds: 6x, 8x, 12x**

Y:Yes

No.	Maker	Manufacturer ID	Strategy Status						Remarks
			2x	3x	5x	6x	8x	12x	
1	MAXELL	"MXL22"	-	-	-	Y	Y	Y	

On discs other than the above are rejected.



### Supported media list of CD-R on DVR-116

#### CD-R Media

Not listed CD-R media, 4X,10X,16X,24X,32X writing is possible

Y:Yes

Manufacturer	Name	Start Time	Start Time	Strategy Status	Remark
4M	×52 Phthalocyanine 80	97:28:26	79:59:74	Y	
CMC	×52 80	97:26:66	79:59:73	Y	
CMC	×52 80	97:26:66	79:59:71	Y	
CMC	×48 Phthalocyanine 80	97:26:66	79:59:71	Y	
CMC	×48 Phthalocyanine 80	97:26:66	79:59:73	Y	
CMC	×24 Phthalocyanine 80	97:26:66	79:59:74	Y	
CMC	×16 Phthalocyanine 80	97:26:66	79:59:74	Y	
Daxon (ACER)	Phthalocyanine 74	97:22:65	74:59:74	Y	
Daxon (ACER)	Phthalocyanine 80	97:22:66	79:59:74	Y	
Daxon (ACER)	X48/52 Phthalocyanine 80	97:22:67	79:59:74	Y	
Daxon (ACER)	X40 Phthalocyanine 80	97:22:67	79:59:74	Y	
Daxon (ACER)	X32 Phthalocyanine 80	97:22:67	79:59:74	Y	
DigitalStrage	SW TECHNOLOGY	97:27:06	79:59:73	Y	
EMTEC (Plasmon)	52x 80	97:27:18	79:59:74	Y	
FujiFilm	Cyanine74	97:26:40	74:45:00	Y	
FujiFilm	Cyanine74Audio	97:26:40	74:45:00	Y	
FujiFilm	Cyanine80Audio	97:26:40	79:59:74	Y	
FujiFilm	X48/52 Phthalocyanine 80	97:26:45	79:59:73	Y	
FujiFilm	X32 Phthalocyanine 74	97:26:45	74:45:00	Y	
FujiFilm	X12 Phthalocyanine 74	97:26:45	79:59:74	Y	
Gigastorage	Cyanine 80	97:28:12	79:59:74	Y	
Gigastorage	Phthalocyanine	97:28:15	79:59:74	Y	
INFODISC	×52 Phthalocyanine 80	97:25:35	79:59:74	Y	
KODAK	74 Silver	97:27:45	74:05:01	Y	
KODAK	74 Gold	97:27:45	74:05:01	Y	
KODAK	80 Silver	97:27:45	79:59:74	Y	
KODAK	80 NEW	97:27:46	79:59:74	Y	
Lead Dada	×24 Cyanine 80	97:26:51	79:59:74	Y	
Lead Dada	×32 Cyanine 80	97:26:52	79:59:74	Y	
Lead Dada	×24 Phthalocyanine 74	97:26:55	74:50:31	Y	
Lead Dada	×32 Phthalocyanine 80	97:26:56	79:59:74	Y	
Lead Dada	×24 Phthalocyanine 80	97:26:57	79:59:74	Y	
Lead Dada	×48 Phthalocyanine 80	97:24:16	79:59:74	Y	
MAXELL	CD-R74 (=23)	97:25:22	74:30:00	Y	
MAXELL	74 Data	97:25:23	74:30:00	Y	
MAXELL	80 Data	97:25:23	79:59:74	Y	
MAXELL	48x Phthalocyanine 74	97:25:29	74:30:00	Y	
MAXELL	48x Phthalocyanine 80	97:25:29	79:59:74	Y	
MAXELL	Cyanine 74	97:25:24	74:30:00	Y	
MAXELL	Cyanine 80	97:25:24	79:59:74	Y	
MBI	×52 80	97:17:06	79:59:74	Y	
MBI	Phthalocyanine 90	97:17:06	90:02:00	Y	
MBI	×48 Phthalocyanine 80	97:17:06	79:59:74	Y	
MBI	Phthalocyanine 100	97:27:19	79:59:74	Y	
MCC(MITSUBISHI)	Supper-Azo 80	97:15:21	79:59:74	Y	
MCC(MITSUBISHI)	Supper-Azo 74	97:34:21	74:43:00	Y	
MCC(MITSUBISHI)	Super-Azo HG80	97:34:22	79:59:74	Y	
MCC(MITSUBISHI)	48x SONIC-Azo 80	97:34:23	79:59:73	Y	
MCC(MITSUBISHI)	Supper-Azo HGX80	97:34:23	79:59:74	Y	



### Supported media list of CD-R on DVR-116

#### CD-R Media

Not listed CD-R media, 4X,10X,16X,24X,32X writing is possible

Y:Yes

Manufacturer	Name	Start Time	Start Time	Strategy Status	Remark
MCI(MITSUI)	CDRG74MG	97:27:55	74:05:10	Y	
MCI(MITSUI)	CDRG80MG	97:27:55	79:59:74	Y	
MCI(MITSUI)	MJCDRG80MG	97:27:55	79:59:74	Y	
MCI(MITSUI)	x24 Phthallo 74	97:27:56	74:05:11	Y	
MCI(MITSUI)	X24 Phthallo 80	97:27:56	79:59:74	Y	
MCI(MITSUI)	X40 Phthallo 80	97:27:58	79:59:74	Y	
MCI(MITSUI)	MTCDR63G	97:48:55	63:04:00	Y	
NAN-YA Plastics	Ever Media	97:15:37	79:59:74	Y	
PRINCO	CDR-74	97:27:28	74:50:01	Y	
PRINCO	CDR-80	97:27:28	79:59:74	Y	
PRODISC	74	97:32:19	74:30:00	Y	
PRODISC	74Audio	97:32:19	74:30:00	Y	
PRODISC	x52 Phthallo 80	97:32:19	79:59:71	Y	
PRODISC	x48 Phthallo 80	97:32:19	79:59:72	Y	
PRODISC	x40 Phthallo 80	97:32:19	79:59:73	Y	
PRODISC	x24 Phthallo 80	97:32:19	79:59:74	Y	
PRODISC	80	97:32:19	79:59:74	Y	
RICOH	Type 74R-SG	97:27:66	74:12:00	Y	
RICOH	x40/48 Phthallo 80	97:27:66	79:59:71	Y	
RICOH	x20 Phthallo 80	97:27:66	79:59:74	Y	
RICOH	Type 80	97:27:66	79:59:74	Y	
RITEK	G Type80	97:15:17	79:59:74	Y	
RITEK	H Type74	97:31:01	74:45:00	Y	
RITEK	G Type74	97:31:07	74:45:00	Y	
RITEK	H Type80	97:15:11	79:59:74	Y	
RITEK	S Type80	97:15:12	79:59:73	Y	
RITEK	K Type80	97:15:12	79:59:74	Y	
RITEK	48x JS Type80	97:15:17	79:59:70	Y	
RITEK	JS Type80	97:15:17	79:59:73	Y	
RITEK	R Type80	97:15:18	74:45:00	Y	
RITEK	S Type74	97:31:01	74:45:01	Y	
RITEK	K Type74	97:31:02	74:45:00	Y	
RITEK	JS Type74	97:31:07	74:45:01	Y	
RITEK	JS Type74	97:31:07	74:45:02	Y	
RITEK	R Type74	97:31:08	74:45:00	Y	
SKC	x52 Phthallo 80	97:26:26	79:59:73	Y	
SKC	x32 Phthallo 80	97:26:26	79:59:74	Y	
SKC	Phthallo	97:26:26	79:59:74	Y	
SONY	X32 Cyanine	97:24:12	79:59:74	Y	
SONY	x40 Phthallo 80	97:24:15	79:59:74	Y	
SONY	x48/52 Phthallo 80	97:24:16	79:59:74	Y	
SONY	74	97:24:11	74:43:00	Y	
SONY	74Audio	97:24:11	74:43:00	Y	
SONY	80	97:24:11	79:59:74	Y	
TaiyoYuden	74P	97:24:01	74:43:00	Y	
TaiyoYuden	X40NEW	97:24:01	74:43:02	Y	
TaiyoYuden	74X	97:24:01	74:43:01	Y	
TaiyoYuden	X40NEW	97:24:01	79:59:72	Y	
TaiyoYuden	32x 80X	97:24:01	79:59:73	Y	
TaiyoYuden	80P	97:24:01	79:59:74	Y	
TDK	CD-R80(15)	97:15:00	79:59:74	Y	
TDK	X40 Phthallo 90	97:15:05	91:01:48	Y	
TDK	X48/52 Phthallo 80	97:15:05	79:59:74	Y	
TDK	CD-R80(25)	97:25:00	79:59:74	Y	
TDK	CD-R74	97:32:00	74:59:00	Y	
TDK	X48 Phthallo 74	97:32:05	74:59:00	Y	
TDK	CD-R63S	97:49:00	63:52:00	Y	
TDK	Cyanine 80	97:15:01	79:59:74	Y	
TDK	Cyanine 74	97:32:01	74:59:00	Y	



---

Supported media list of CD-RW on DVR-116

**CD-RW : Normal Speed (4x)**

On all discs, 4x writing is possible

**CD-RW : High Speed (4X--10X)**

On all discs, 4x, 10x writing is possible

**CD-RW : Ultra Speed (24X media)**

On all discs, 10x, 16x, 20x, 24x writing is possible

**CD-RW : Ultra Speed+ (32X media)**

On all discs, 16x, 24x, 32x writing is possible

---

---