



Supported media list

- DVD-R on DVR-217
- DVD-RW on DVR-217
- DVD+R on DVR-217
- DVD+RW on DVR-217
- DVD-RAM on DVR-217
- CD-R on DVR-217
- CD-RW on DVR-217

Supported media list of DVD-RW on DVR-217

Ver1.08

| No. | Maker | Manufacturer ID | Strategy Status | | | | | Remarks |
|-----|-------|-----------------|-----------------|----|----|----|----|---------|
| | | | 1x | 2x | 4x | 6x | 8x | |

DVD-RW Ver1.0 (1x format disc)

On all discs, 1x writing is possible

DVD-RW Ver1.1 (1x format disc)

On all discs, 1x writing is possible

DVD-RW Ver1.1 Rev1.0 (2x format disc)

On all discs, 1x, 2x writing is possible

DVD-RW Ver1.2 Rev2.0 (4x format disc)

On all discs, 2x, 4x writing is possible

DVD-RW Ver1.2 Rev3.0 (6x format disc)

Writing speed : 2x, 4x, 6x

In case of unknown MID, the writing speed is limited to 2x and 4x.

| | | | | | | | | |
|---|-----------|----------------|---|---|---|---|---|--|
| 1 | CMC | "CMCW04" | - | Y | Y | Y | - | |
| 2 | Infomedia | "INFOMEDIAA30" | - | Y | Y | - | - | |
| 3 | JVC | "JVC1Victord7" | - | Y | Y | Y | - | |
| 4 | MKM | "MKM 01RW6X01" | - | Y | Y | Y | - | |
| 5 | OPTODISC | "OPTODISCW006" | - | Y | Y | - | - | |
| 6 | RITEK | "RITEKW06" | - | Y | Y | Y | - | |
| 7 | TDK | "TDK701saku" | - | Y | Y | Y | - | |

Supported media list of DVD+RW on DVR-217

Ver1.08

| No. | Maker | Manufacturer ID | Media Type /.Rev | Strategy Status | | | | | Remarks |
|-----|-------|-----------------|---------------------|-----------------|----|----|----|----|---------|
| | | | | 2x | 3x | 4x | 6x | 8x | |

DVD+RW (2.4x media)

On all discs, 2.4x writing is possible

DVD+RW (4x media)

On all discs, 2.4x, 4x writing is possible

DVD+RW (3.3x-8x media)

Writing speed : 3.3x, 6x, 8x

| | | | | | | | | | |
|----|----------|-------------|--------|---|---|---|---|---|--|
| 1 | CMC | "CMC MAG_ " | "W03 " | - | Y | - | Y | Y | |
| 2 | Daxon | "DAXON_ " | "W81 " | - | Y | - | Y | - | |
| 3 | MBI | "MBIPG101 " | "W05 " | - | Y | - | - | - | |
| 4 | MKM | "MKM_ " | "A03 " | - | Y | - | Y | Y | |
| 5 | OPTODISC | "OPTODISC " | "OP8 " | - | Y | - | Y | Y | |
| 6 | PHILIPS | "PHILIPS_ " | "RW8 " | - | Y | - | Y | - | |
| 7 | PRODISC | "PRODISC_ " | "W03 " | - | Y | - | - | - | |
| 8 | RICOH | "RICOHJPN " | "W21 " | - | Y | - | Y | Y | |
| 9 | RITEK | "RITEK_ " | "008 " | - | Y | - | Y | Y | |
| 10 | SONY | "SONY_ " | "S21 " | - | Y | - | Y | Y | |

On discs other than the above are rejected.

Supported media list of DVD-RAM on DVR-217

Ver1.08

| No. | Maker | Manufacturer ID | Strategy Status | | | | | | | Remarks |
|-----|-------|-----------------|-----------------|----|----|----|----|-----|-----|---------|
| | | | 2x | 3x | 5x | 6x | 8x | 10x | 12x | |

DVD-RAM Ver2.1 (2x format disc)

On all discs, 2x writing is possible

DVD-RAM Ver2.1 Rev1.0 (3x format disc)

Writing speeds: 2x, 3x

In case of unknown MID, the writing speed is limited to 2x.

| | | | | | | | | | | |
|---|-----------|------------|---|---|---|---|---|---|---|--|
| 1 | Panasonic | "M01J3002" | Y | Y | - | - | - | - | - | |
| 2 | Panasonic | "M01J3003" | Y | Y | - | - | - | - | - | |
| 3 | Panasonic | "M01J3004" | Y | Y | - | - | - | - | - | |
| 4 | MAXELL | "MXL13" | Y | Y | - | - | - | - | - | |
| 5 | MAXELL | "MXL8" | Y | Y | - | - | - | - | - | |
| 6 | MAXELL | "MXL9" | Y | Y | - | - | - | - | - | |

DVD-RAM Ver2.2 Rev2.0 (5x format disc)

Writing speeds: 2x, 3x, 5x

In case of unknown MID, the writing speed is limited to 2x.

| | | | | | | | | | | |
|---|-----------|------------|---|---|---|---|---|---|---|--|
| 1 | Panasonic | "M01J5006" | Y | Y | Y | - | - | - | - | |
| 2 | MAXELL | "MXL16" | Y | Y | Y | - | - | - | - | |

DVD-RAM Ver2.2 Rev5.0 (12x format disc)

Writing speeds: 6x, 8x, 12x

| | | | | | | | | | | |
|---|--------|---------|---|---|---|---|---|---|---|--|
| 1 | MAXELL | "MXL22" | - | - | - | Y | Y | Y | Y | |
|---|--------|---------|---|---|---|---|---|---|---|--|

On discs other than the above are rejected.

Supported media list of CD-R on DVR-217

Ver1.08

CD-R Media

Not listed CD-R media, 4x, 10x, 16x, 24x, 32x writing is possible

| Manufacturer | Name | Start Time | Start Time | Strategy Status | Remark |
|-----------------|-------------------|------------|------------|-----------------|--------|
| 4M | x52 Phthalo 80 | 97:28:26 | 79:59:74 | Y | - |
| CMC | x52 80 | 97:26:66 | 79:59:73 | Y | - |
| CMC | x52 80 | 97:26:66 | 79:59:71 | Y | - |
| CMC | x48 Phthalo 80 | 97:26:66 | 79:59:71 | Y | - |
| CMC | x48 Phthalo 80 | 97:26:66 | 79:59:73 | Y | - |
| CMC | x24 Phthalo 80 | 97:26:66 | 79:59:74 | Y | - |
| CMC | x16 Phthalo 80 | 97:26:66 | 79:59:74 | Y | - |
| Daxon (ACER) | Phthalo 74 | 97:22:65 | 74:59:74 | Y | - |
| Daxon (ACER) | Phthalo 80 | 97:22:66 | 79:59:74 | Y | - |
| Daxon (ACER) | X48/52 Phthalo 80 | 97:22:67 | 79:59:74 | Y | - |
| Daxon (ACER) | X40 Phthalo 80 | 97:22:67 | 79:59:74 | Y | - |
| Daxon (ACER) | X32 Phthalo 80 | 97:22:67 | 79:59:74 | Y | - |
| DigitalStrage | SW TECHNOLOGY | 97:27:06 | 79:59:73 | Y | - |
| EMTEC (Plasmon) | 52x 80 | 97:27:18 | 79:59:74 | Y | - |
| FujiFilm | Cyanine74 | 97:26:40 | 3.114583 | Y | - |
| FujiFilm | Cyanine74Audio | 97:26:40 | 3.114583 | Y | - |
| FujiFilm | Cyanine80Audio | 97:26:40 | 79:59:74 | Y | - |
| FujiFilm | X48/52 Phthalo 80 | 97:26:45 | 79:59:73 | Y | - |
| FujiFilm | X32 Phthalo 74 | 97:26:45 | 3.114583 | Y | - |
| FujiFilm | X12 Phthalo | 97:26:45 | 79:59:74 | Y | - |
| Gigastorage | Cyanine 80 | 97:28:12 | 79:59:74 | Y | - |
| Gigastorage | Phthalo | 97:28:15 | 79:59:74 | Y | - |
| INFODISC | x52 Phthalo 80 | 97:25:35 | 79:59:74 | Y | - |
| KODAK | 74 Silver | 97:27:45 | 3.086817 | Y | - |
| KODAK | 74 Gold | 97:27:45 | 3.086817 | Y | - |
| KODAK | 80 Silver | 97:27:45 | 79:59:74 | Y | - |
| KODAK | 80NEW | 97:27:46 | 79:59:74 | Y | - |
| Lead Dada | x24 Cyanine 80 | 97:26:51 | 79:59:74 | Y | - |
| Lead Dada | x32 Cyanine 80 | 97:26:52 | 79:59:74 | Y | - |
| Lead Dada | x24 Phthalo 74 | 97:26:55 | 3.118414 | Y | - |
| Lead Dada | x32 Phthalo 80 | 97:26:56 | 79:59:74 | Y | - |
| Lead Dada | x24 Phthalo 80 | 97:26:57 | 79:59:74 | Y | - |
| Lead Dada | x48 Phthalo 80 | 97:24:16 | 79:59:74 | Y | - |
| MAXELL | CD-R74(=23) | 97:25:22 | 3.104167 | Y | - |
| MAXELL | 74 Data | 97:25:23 | 3.104167 | Y | - |
| MAXELL | 80 Data | 97:25:23 | 79:59:74 | Y | - |
| MAXELL | 48x Phthalo 74 | 97:25:29 | 74:30:00 | Y | - |
| MAXELL | 48x Phthalo 80 | 97:25:29 | 79:59:74 | Y | - |
| MAXELL | Cyanine 74 | 97:25:24 | 74:30:00 | Y | - |
| MAXELL | Cyanine 80 | 97:25:24 | 79:59:74 | Y | - |
| MBI | x52 80 | 97:17:06 | 79:59:74 | Y | - |
| MBI | Phthalo 90 | 97:17:06 | 3.751389 | Y | - |
| MBI | x48 Phthalo 80 | 97:17:06 | 79:59:74 | Y | - |
| MBI | Phthalo 100 | 97:27:19 | 79:59:74 | Y | - |

Supported media list of CD-R on DVR-217

Ver1.08

CD-R Media

Not listed CD-R media, 4x, 10x, 16x, 24x, 32x writing is possible

| Manufacturer | Name | Start Time | Start Time | Strategy Status | Remark |
|-----------------|-------------------|------------|------------|-----------------|--------|
| MCC(MITSUBISHI) | Supper-Azo 80 | 97:15:21 | 79:59:74 | Y | - |
| MCC(MITSUBISHI) | Supper-Azo 74 | 97:34:21 | 3.113194 | Y | - |
| MCC(MITSUBISHI) | Super-Azo HG80 | 97:34:22 | 79:59:74 | Y | - |
| MCC(MITSUBISHI) | 48x SONIC-Azo 80 | 97:34:23 | 79:59:73 | Y | - |
| MCC(MITSUBISHI) | Supper-Azo HGX80 | 97:34:23 | 79:59:74 | Y | - |
| MCI(MITSUI) | CDRG74MG | 97:27:55 | 3.086921 | Y | - |
| MCI(MITSUI) | CDRG80MG | 97:27:55 | 79:59:74 | Y | - |
| MCI(MITSUI) | MJCDRG80MG | 97:27:55 | 79:59:74 | Y | - |
| MCI(MITSUI) | x24 Phthalo 74 | 97:27:56 | 3.086933 | Y | - |
| MCI(MITSUI) | X24 Phthalo 80 | 97:27:56 | 79:59:74 | Y | - |
| MCI(MITSUI) | X40 Phthalo 80 | 97:27:58 | 79:59:74 | Y | - |
| MCI(MITSUI) | MTCDR63G | 97:48:55 | 2.627778 | Y | - |
| NAN-YA Plastics | Ever Media | 97:15:37 | 79:59:74 | Y | - |
| PRINCO | CDR-74 | 97:27:28 | 74:50:01 | Y | - |
| PRINCO | CDR-80 | 97:27:28 | 79:59:74 | Y | - |
| PRODISC | 74 | 97:32:19 | 74:30:00 | Y | - |
| PRODISC | 74Audio | 97:32:19 | 3.104167 | Y | - |
| PRODISC | x52 Phthalo 80 | 97:32:19 | 79:59:71 | Y | - |
| PRODISC | x48 Phthalo 80 | 97:32:19 | 79:59:72 | Y | - |
| PRODISC | x40 Phthalo 80 | 97:32:19 | 79:59:73 | Y | - |
| PRODISC | x24 Phthalo 80 | 97:32:19 | 79:59:74 | Y | - |
| PRODISC | 80 | 97:32:19 | 79:59:74 | Y | - |
| RICOH | Type 74R-SG | 97:27:66 | 3.091667 | Y | - |
| RICOH | x40/48 Phthalo 80 | 97:27:66 | 79:59:71 | Y | - |
| RICOH | x20 Phthalo 80 | 97:27:66 | 79:59:74 | Y | - |
| RICOH | Type 80 | 97:27:66 | 79:59:74 | Y | - |
| RITEK | G Type80 | 4.05228 | 79:59:74 | Y | - |
| RITEK | H Type74 | 4.063206 | 3.114583 | Y | - |
| RITEK | G Type74 | 4.063275 | 3.114583 | Y | - |
| RITEK | H Type80 | 97:15:11 | 79:59:74 | Y | - |
| RITEK | S Type80 | 97:15:12 | 79:59:73 | Y | - |
| RITEK | K Type80 | 97:15:12 | 79:59:74 | Y | - |
| RITEK | 48x JS Type80 | 97:15:17 | 79:59:70 | Y | - |
| RITEK | JS Type80 | 97:15:17 | 79:59:73 | Y | - |
| RITEK | R Type80 | 97:15:18 | 3.114583 | Y | - |
| RITEK | S Type74 | 97:31:01 | 3.114595 | Y | - |
| RITEK | K Type74 | 97:31:02 | 3.114583 | Y | - |
| RITEK | JS Type74 | 97:31:07 | 74:45:01 | Y | - |
| RITEK | JS Type74 | 97:31:07 | 74:45:02 | Y | - |
| RITEK | R Type74 | 97:31:08 | 74:45:00 | Y | - |
| SKC | x52 Phthalo 80 | 97:26:26 | 79:59:73 | Y | - |
| SKC | x32 Phthalo 80 | 97:26:26 | 79:59:74 | Y | - |
| SKC | Phthalo | 97:26:26 | 79:59:74 | Y | - |
| SONY | X32 Cyanine | 97:24:12 | 79:59:74 | Y | - |
| SONY | x40 Phthalo 80 | 97:24:15 | 79:59:74 | Y | - |
| SONY | x48/52 Phthalo 80 | 97:24:16 | 79:59:74 | Y | - |
| SONY | 74 | 97:24:11 | 3.113194 | Y | - |
| SONY | 74Audio | 97:24:11 | 3.113194 | Y | - |
| SONY | 80 | 97:24:11 | 79:59:74 | Y | - |
| TaiyoYuden | 74P | 97:24:01 | 74:43:00 | Y | - |
| TaiyoYuden | X40NEW | 97:24:01 | 74:43:02 | Y | - |
| TaiyoYuden | 74X | 97:24:01 | 3.113206 | Y | - |
| TaiyoYuden | X40NEW | 97:24:01 | 79:59:72 | Y | - |
| TaiyoYuden | 32x 80X | 97:24:01 | 79:59:73 | Y | - |
| TaiyoYuden | 80P | 97:24:01 | 79:59:74 | Y | - |
| TDK | CD-R80(15) | 97:15:00 | 79:59:74 | Y | - |
| TDK | X40 Phthalo 90 | 97:15:05 | 3.792917 | Y | - |
| TDK | X48/52 Phthalo 80 | 97:15:05 | 79:59:74 | Y | - |
| TDK | CD-R80(25) | 97:25:00 | 79:59:74 | Y | - |
| TDK | CD-R74 | 97:32:00 | 74:59:00 | Y | - |
| TDK | X48 Phthalo 74 | 97:32:05 | 3.124306 | Y | - |
| TDK | CD-R63S | 97:49:00 | 2.661111 | Y | - |
| TDK | Cyanine 80 | 97:15:01 | 79:59:74 | Y | - |
| TDK | Cyanine 74 | 97:32:01 | 74:59:00 | Y | - |

Supported media list of CD-RW on DVR-217

CD-RW Media

Ver1.08

| Manufacturer | Capacity (min) /(MB) | Lead In Start Time | Lead Out Start Time | Strategy Status | memo |
|--------------|----------------------------|--------------------------|---------------------------|--------------------|------|
|--------------|----------------------------|--------------------------|---------------------------|--------------------|------|

CD-RW : Normal Speed (4X)

On all discs, 4x writing is possible

CD-RW : High Speed (4X--10X)

On all discs, 4x, 10x writing is possible

CD-RW : Ultra Speed (24X media)

On all discs, 10x, 16x, 20x, 24x writing is possible

CD-RW : Ultra Speed+ (32X media)

On all discs, 16x, 24x, 32x, writing is possible
